



WALL PANEL XL

New Generation Flooring

WALL PANEL SERIES
SPC WALL
TECHNICAL DATA SHEET

DECOR

PACKAGE

PALETTE

LONG


 1 Pieces
= 2,702 m²
= 17,293 kg

 60 Package
= 162.120 m²
= 1057,568 kg

Production Identification		Area Spc Wall Panel XL
Construction		Vinyl decor with SPC core, scratch coating
Material - Core		Endure Core SPC - Stone Polymer Composite 2000 kg/m ³ density
Protection		Ultimate Shield, Scratch, Stain and Wear Resistant - Surface Coating
Surface treatment		UV
Usage		Residential - Commerical
Warranty period		Residential 7 years - Commercial 3 years
Plank Size		965x2800
Joint		Sharp edge, square
Installation Method		Glued
Total Thickness		3 mm
Wear Layer Thickness		0.15 mm
Length		2800 mm
Width		965 mm

TECNICAL SPECIFICATION

Thermal resistance		EN 12667	0,0311 M2k/w
Thermal Conductivity		EN 12667	0,296 W/(m.K)
Residual indentation		EN ISO 24343-1	0.01 mm
Micro scratch resistance (class) for mat surfaces (gloss)		TS EN 16094 (Metot A)	0.1 mm
Emission of formaldehyde		EN 717-1:2004	E1
Resistance to Staining		EN438-2 +A1	Class 34
Light fastness		EN ISO 105-B02:2014	≥6

CE Mark	13245-2:2008	Specification
Fire behaviour	TS EN 13501-1	Bs3d0
VOC Emissions Class - (French Regulation)	French VOC Regulation	A+
VOC Emission - Indoor Air Comfort Gold	French VOC Regulation	E1
VOC Emission - M1	M1 Protocol of November 2017	Pass
VOC Emission - CDPH	CDPH/EHLB/Std Method V1.2. Jan17	Pass

More Test

IIC - ASTM E492-22	70
STC - ASTM E90-23	75

AREA FLOORS PRODUCTION : Ömerli Mahallesi, Ilgaz Sokak, No: 7/1, Arnavutköy, İstanbul / Türkiye

AREA FLOORS EUROPE : Gietijzerstraat 20 3534AV Utrecht The Netherlands

T : +90 (212) 741 51 61 info@areafloors.com.tr www.areafloors.com.tr



WALL PANEL XL

New Generation Flooring

WALL PANEL SERIES
SPC WALL
TECHNICAL DATA SHEET